DocuSign Envelope ID: 95B24B53-DBC4-4EC6-BAB6-2008031B49E2

EC DECLARATION OF CONFORMITY

Enphase Energy Inc.
47281 BAYSIDE PARKWAY
FREMONT CA
United States

This declaration of conformity is issued under the sole responsibility of the manufacturer.

ENV-S-WM-230, ENV-S-WB-230 & ENV-S-EM-230

The object of the declaration described above is in conformity with the relevant Union harmonization legislation:

EN 61000-6-2:2005 + AC: 2005	Electromagnetic compatibility (EMC) - Part 6-2: Generic Standards - Immunity standard for industrial environments
EN 61000-6-3:2007 + A1: 2011	Electromagnetic compatibility (EMC) - Part 6-3: Generic Standards - Emission standard for residential, commercial and light-industrial environments
EN IEC 61000-3-2: 2019	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3:2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
EN 50065-1: 2011	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. General requirements, frequency bands and electromagnetic disturbances
EN 50065-2-2:2003 +A1:2005+AC:2006	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments
EN 61010-1:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 1: General requirements
EN 61010-2-030:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 2-030: Particular requirements for testing and measuring circuits
EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques.
EN 301 489-1 V2.1.1 (2017-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 893 V2.1.1 (2017-05)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive
EN 62311:2008	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)

EMC directive - 2014/30/EU
LOW VOLTAGE directive - 2014/35/EU
RED Directive - 2014/53/EU

Signed on behalf of Enphase Energy Inc.

10 Nov. 22
Fremont, United States

DocuSigned by:
Karen Maxwell
EDC9571FABF94EA...

Karen Maxwell
Vice President, Quality

© 2022 Enphase Energy, Inc.

DocuSign Envelope ID: 95B24B53-DBC4-4EC6-BAB6-2008031B49E2

EU-KONFORMITÄTSERKLÄRUNG

Enphase Energy Inc.
47281 BAYSIDE PARKWAY
FREMONT CA
United States

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.

ENV-S-WM-230, ENV-S-WB-230 & ENV-S-EM-230

Das beschriebene Produkt und Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union:

EN 61000-6-2:2005 + AC: 2005	Electromagnetic compatibility (EMC) - Part 6-2: Generic Standards - Immunity standard for industrial environments
EN 61000-6-3:2007 + A1: 2011	Electromagnetic compatibility (EMC) - Part 6-3: Generic Standards - Emission standard for residential, commercial and light-industrial environments
EN IEC 61000-3-2: 2019	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3:2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
EN 50065-1: 2011	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. General requirements, frequency bands and electromagnetic disturbances
EN 50065-2-2:2003 +A1:2005+AC:2006	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments
EN 61010-1:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 1: General requirements
EN 61010-2-030:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 2-030: Particular requirements for testing and measuring circuits
EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques.
EN 301 489-1 V2.1.1 (2017-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 893 V2.1.1 (2017-05)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive
EN 62311:2008	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)

EMC directive - 2014/30/EU
LOW VOLTAGE directive - 2014/35/EU
RED Directive - 2014/53/EU

Unterzeichnet für und im Namen von:
Enphase Energy Inc.

10 Nov. 22
Fremont, United States

DocuSigned by:
Karen Maxwell
EDC9571FABF94EA...
Karen Maxwell
Vice President, Quality

© 2022 Enphase Energy, Inc.

DocuSign Envelope ID: 95B24B53-DBC4-4EC6-BAB6-2008031B49E2

EU-CONFORMITEITSVERKLARING

Enphase Energy Inc.
47281 BAYSIDE PARKWAY
FREMONT CA
United States

Verklaren onder onze eigen verantwoordelijkheid dat het product met identificatie:

ENV-S-WM-230, ENV-S-WB-230 & ENV-S-EM-230

Het hierboven beschreven voorwerp is in overeenstemming met de desbetreffende harmonisatiewetgeving van de Unie

EN 61000-6-2:2005 + AC: 2005	Electromagnetic compatibility (EMC) - Part 6-2: Generic Standards - Immunity standard for industrial environments
EN 61000-6-3:2007 + A1: 2011	Electromagnetic compatibility (EMC) - Part 6-3: Generic Standards - Emission standard for residential, commercial and light-industrial environments
EN IEC 61000-3-2: 2019	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3:2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
EN 50065-1: 2011	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. General requirements, frequency bands and electromagnetic disturbances
EN 50065-2-2:2003 +A1:2005+AC:2006	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments
EN 61010-1:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 1: General requirements
EN 61010-2-030:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 2-030: Particular requirements for testing and measuring circuits
EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques.
EN 301 489-1 V2.1.1 (2017-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 893 V2.1.1 (2017-05)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive
EN 62311:2008	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)

EMC directive - 2014/30/EU
LOW VOLTAGE directive - 2014/35/EU
RED Directive - 2014/53/EU

Ondertekend voor en namens Enphase Energy Inc.

10 Nov. 22
Fremont, United States

DocuSigned by:
Karen Maxwell
EDC9571FABF94EA...
Karen Maxwell
Vice President, Quality

© 2022 Enphase Energy, Inc.

DocuSign Envelope ID: 95B24B53-DBC4-4EC6-BAB6-2008031B49E2

DICHIARAZIONE DI CONFORMITÀ UE

Enphase Energy Inc.
47281 BAYSIDE PARKWAY
FREMONT CA
United States

La presente dichiarazione di conformità è rilasciata sotto la responsabilità esclusiva del fabbricante.

ENV-S-WM-230, ENV-S-WB-230 & ENV-S-EM-230

L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione:

EN 61000-6-2:2005 + AC: 2005	Electromagnetic compatibility (EMC) - Part 6-2: Generic Standards - Immunity standard for industrial environments
EN 61000-6-3:2007 + A1: 2011	Electromagnetic compatibility (EMC) - Part 6-3: Generic Standards - Emission standard for residential, commercial and light-industrial environments
EN IEC 61000-3-2: 2019	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3:2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
EN 50065-1: 2011	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. General requirements, frequency bands and electromagnetic disturbances
EN 50065-2-2:2003 +A1:2005+AC:2006	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments
EN 61010-1:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 1: General requirements
EN 61010-2-030:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 2-030: Particular requirements for testing and measuring circuits
EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques.
EN 301 489-1 V2.1.1 (2017-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 893 V2.1.1 (2017-05)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive
EN 62311:2008	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)

EMC directive - 2014/30/EU
LOW VOLTAGE directive - 2014/35/EU
RED Directive - 2014/53/EU

Firmato a nome e per conto di
Enphase Energy Inc.

10 Nov. 22
Fremont, United States

DocuSigned by:
Karen Maxwell
EDC9571FABF94EA...
Karen Maxwell
Vice President, Quality

© 2022 Enphase Energy, Inc.

DocuSign Envelope ID: 95B24B53-DBC4-4EC6-BAB6-2008031B49E2

DÉCLARATION UE DE CONFORMITÉ

Enphase Energy Inc.
47281 BAYSIDE PARKWAY
FREMONT CA
United States

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant.

ENV-S-WM-230, ENV-S-WB-230 & ENV-S-EM-230

Objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable:

EN 61000-6-2:2005 + AC: 2005	Electromagnetic compatibility (EMC) - Part 6-2: Generic Standards - Immunity standard for industrial environments
EN 61000-6-3:2007 + A1: 2011	Electromagnetic compatibility (EMC) - Part 6-3: Generic Standards - Emission standard for residential, commercial and light-industrial environments
EN IEC 61000-3-2: 2019	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3:2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
EN 50065-1: 2011	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. General requirements, frequency bands and electromagnetic disturbances
EN 50065-2-2:2003 +A1:2005+AC:2006	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments
EN 61010-1:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 1: General requirements
EN 61010-2-030:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 2-030: Particular requirements for testing and measuring circuits
EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques.
EN 301 489-1 V2.1.1 (2017-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 893 V2.1.1 (2017-05)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive
EN 62311:2008	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)

EMC directive - 2014/30/EU
LOW VOLTAGE directive - 2014/35/EU
RED Directive - 2014/53/EU

Signé par et au nom de:
Enphase Energy Inc

10 Nov. 22
Fremont, United States

DocuSigned by:
Karen Maxwell
EDC9571FABF94EA...
Karen Maxwell
Vice President, Quality

© 2022 Enphase Energy, Inc.

DocuSign Envelope ID: 95B24B53-DBC4-4EC6-BAB6-2008031B49E2

DEKLARACJA ZGODNOŚCI UE

Enphase Energy Inc.
47281 BAYSIDE PARKWAY
FREMONT CA
United States

Niniejsza deklaracja zgodności wydana zostaje na wyłączną odpowiedzialność producenta.

ENV-S-WM-230, ENV-S-WB-230 & ENV-S-EM-230

Wymieniony powyżej przedmiot niniejszej deklaracji jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego:

EN 61000-6-2:2005 + AC: 2005	Electromagnetic compatibility (EMC) - Part 6-2: Generic Standards - Immunity standard for industrial environments
EN 61000-6-3:2007 + A1: 2011	Electromagnetic compatibility (EMC) - Part 6-3: Generic Standards - Emission standard for residential, commercial and light-industrial environments
EN IEC 61000-3-2: 2019	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3:2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
EN 50065-1: 2011	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. General requirements, frequency bands and electromagnetic disturbances
EN 50065-2-2:2003 +A1:2005+AC:2006	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments
EN 61010-1:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 1: General requirements
EN 61010-2-030:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 2-030: Particular requirements for testing and measuring circuits
EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques.
EN 301 489-1 V2.1.1 (2017-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 893 V2.1.1 (2017-05)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive
EN 62311:2008	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)

EMC directive - 2014/30/EU
LOW VOLTAGE directive - 2014/35/EU
RED Directive - 2014/53/EU

Podpisano w imieniu:
Enphase Energy Inc.

10 Nov. 22
Fremont, United States

DocuSigned by:
Karen Maxwell
EDC9571FABF94EA...
Karen Maxwell
Vice President, Quality

© 2022 Enphase Energy, Inc.

DocuSign Envelope ID: 95B24B53-DBC4-4EC6-BAB6-2008031B49E2

DECLARACIÓN UE DE CONFORMIDAD

Enphase Energy Inc.
47281 BAYSIDE PARKWAY
FREMONT CA
United States

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante.

ENV-S-WM-230, ENV-S-WB-230 & ENV-S-EM-230

El objeto de la declaración descrita anteriormente es conforme con la legislación de armonización pertinente de la Unión:

EN 61000-6-2:2005 + AC: 2005	Electromagnetic compatibility (EMC) - Part 6-2: Generic Standards - Immunity standard for industrial environments
EN 61000-6-3:2007 + A1: 2011	Electromagnetic compatibility (EMC) - Part 6-3: Generic Standards - Emission standard for residential, commercial and light-industrial environments
EN IEC 61000-3-2: 2019	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3:2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
EN 50065-1: 2011	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. General requirements, frequency bands and electromagnetic disturbances
EN 50065-2-2:2003 +A1:2005+AC:2006	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments
EN 61010-1:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 1: General requirements
EN 61010-2-030:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 2-030: Particular requirements for testing and measuring circuits
EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques.
EN 301 489-1 V2.1.1 (2017-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 893 V2.1.1 (2017-05)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive
EN 62311:2008	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)

EMC directive - 2014/30/EU
LOW VOLTAGE directive - 2014/35/EU
RED Directive - 2014/53/EU

Firmado en nombre de:
Enphase Energy Inc.

10 Nov. 22
Fremont, United States

DocuSigned by:
Karen Maxwell
EDC9571FABF94EA...
Karen Maxwell
Vice President, Quality

© 2022 Enphase Energy, Inc.

DocuSign Envelope ID: 95B24B53-DBC4-4EC6-BAB6-2008031B49E2

DECLARAÇÃO UE DE CONFORMIDADE

Enphase Energy Inc.
47281 BAYSIDE PARKWAY
FREMONT CA
United States

A presente declaração de conformidade é emitida sob a exclusiva responsabilidade do fabricante

ENV-S-WM-230, ENV-S-WB-230 & ENV-S-EM-230

O objeto da declaração acima descrito está em conformidade com a legislação de harmonização da União aplicável:

EN 61000-6-2:2005 + AC: 2005	Electromagnetic compatibility (EMC) - Part 6-2: Generic Standards - Immunity standard for industrial environments
EN 61000-6-3:2007 + A1: 2011	Electromagnetic compatibility (EMC) - Part 6-3: Generic Standards - Emission standard for residential, commercial and light-industrial environments
EN IEC 61000-3-2: 2019	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3:2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
EN 50065-1: 2011	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. General requirements, frequency bands and electromagnetic disturbances
EN 50065-2-2:2003 +A1:2005+AC:2006	Signaling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz. Immunity requirements for mains communications equipment and systems operating in the range of frequencies 95 kHz to 148,5 kHz and intended for use in industrial environments
EN 61010-1:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 1: General requirements
EN 61010-2-030:2010	Safety requirements for electrical equipment for measurement, control, and laboratory use — Part 2-030: Particular requirements for testing and measuring circuits
EN 300 328 V2.2.2 (2019-07)	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz ISM band and using wide band modulation techniques.
EN 301 489-1 V2.1.1 (2017-02)	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 893 V2.1.1 (2017-05)	Broadband Radio Access Networks (BRAN); 5 GHz high performance RLAN; Harmonized EN covering the essential requirements of article 3.2 of the RTTE Directive
EN 62311:2008	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)

EMC directive - 2014/30/EU
LOW VOLTAGE directive - 2014/35/EU
RED Directive - 2014/53/EU

Assinado por e em nome de:
Enphase Energy Inc.

10 Nov. 22
Fremont, United States

DocuSigned by:
Karen Maxwell
EDC9571FABF94EA...

Karen Maxwell
Vice President, Quality

© 2022 Enphase Energy, Inc.